



DEALER NAME: _____

PROJECT NAME: _____

SHIP TO ZIP CODE: _____

SPALDING

BASKETBALL BACKSTOP/S



PERPENDICULAR

PARALLEL

DIMENSIONS

A: _____

B: _____

C: _____

D: _____

E: _____

F: _____

G: _____

H: _____

I: _____

TYPE OF BEAM/S: ☐ WOOD(A)/ ☐ JOIST(B)/ ☐ TRUSS(B)/ ☐ PURLIN(c)/ ☐ OTHER(D)

(A) WOOD BEAM HEIGHT: _____ WIDTH: _____ TYPE: _____

(B) BEAM HEIGHT: _____ FLANGE WIDTH: _____ FLANGE THICKNESS: _____

(C) PURLIN HEIGHT: _____ LOCATION FROM WALL: _____ LOCATION FROM PEAK: _____

(D) OTHER BEAM DETAIL: _____

DIRECTION OF MAIN BEAMS TO MAIN COURT: ☐ PARALLEL / ☐ PERPENDICULAR

ELEVATION OF BEAMS (FINISHED FLOOR TO BOTTOM OF BEAM): LOW _____ HIGH _____

PEAK AT CENTER: ☐ YES / ☐ OTHER, IF OTHER NOTE PEAK LOCATION: _____

TYPICAL BEAM SPACING: _____ TYPICAL PURLIN SPACING (IF APPLICABLE): _____

LOCATION OF 1ST BEAM FROM WALL: ☐ N, ☐ S, ☐ W, ☐ E _____ OPPOSITE WALL: _____

FINISHED CEILING ELEVATION (IF APPLICABLE): _____ (ADVISE OF OTHER OBSTRUCTIONS AS NEEDED)

PLEASE NOTE ADDITIONAL DETAILS ON PAGE 5.

BASKET	NO.1	NO.2	NO.3	NO.4	NO.5	NO.6
BACKSTOP MODEL						
GOAL MODEL						
BACKBOARD MODEL						
BB PAD MODEL						
HT ADJUSTER						
AUT-O-LOC						
WINCH: MAN./ELECTRIC						
RETRACTOR REEL						
OTHER						

DEALER NAME: _____

PROJECT NAME: _____

SHIP TO ZIP CODE: _____



DIVIDER CURTAIN/S

CURTAIN	NO.1	NO.2	NO.3
CURTAIN TYPE			
QUANTITY			
CURTAIN LENGTH			
CURTAIN HEIGHT			
VINYL SELECTION			
VINYL HEIGHT			
MESH SELECTION			
BEAMS PARALLEL/PERP.			
TYPICAL BEAM SPACING			
LOCATION FROM BEAM			
BEAM THICKNESS/WIDTH			

FOR WALK DRAW ONLY:

RETURN TRACKING	☐ YES ☐ NO	☐ YES ☐ NO	☐ YES ☐ NO
IF YES, NOTE LENGTH			

FOR RIDGE FOLD ONLY:

HIGH POINT			
LOW POINT			
PEAK CENTERED	☐ YES ☐ NO	☐ YES ☐ NO	☐ YES ☐ NO

PLEASE NOTE CURTAIN LOCATIONS WITH DIMENSIONS AND ADDITIONAL DETAILS REQUIRED ON PAGE 5.

RETRACTABLE BATTING CAGE/S

CAGE SIZE	☐ 70' L x 14' W x 12' H	☐ 55' L x 14' W x 12' H
NET OPTIONS	☐ 2.5 BRAIDED	☐ 3/4" GOLF
QUANTITY		
BEAMS PARALLEL/PERP.		
TYPICAL BEAM SPACING		
LOCATION FROM BEAM		
BEAM THICKNESS/WIDTH		

PLEASE NOTE CAGE LOCATIONS WITH DIMENSIONS AND ADDITIONAL DETAILS REQUIRED ON PAGE 5.

DEALER NAME: _____

PROJECT NAME: _____

SHIP TO ZIP CODE: _____

SPALDING

VOLLEYBALL/BADMINTON/TENNIS

VOLLEYBALL	MODEL #	QUANTITY
COMPLETE SYSTEM	SSE100	
	SEA100	
	SES100	
	SS100	
	(OTHER)	
STANDARDS (PAIR)	438700	
	438295	
	438290	
	438465	
	(OTHER)	
CENTER STANDARD		
END STANDARD		
UPRIGHT PADS / COLOR	SV400-E /	
	SV300-E /	
	SV200-E /	
	SV100-E /	
	(OTHER)	
NET	434103	
	434104	
	(OTHER)	
FLOOR PLATES/SLEEVES		
REF PLATFORM		
PLATFORM PADS / COLOR	/	
UPRIGHT TRANSPORT		
EQUIPMENT CARRIER		
WALL STORAGE RACK		
OTHER		

BADMINTON	MODEL #	QUANTITY
BADMINTON SYSTEM	438140	
FREE-STANDING SYSTEM	438142	
MULTI-COURT SYSTEM	438141	
OFFICIAL BADMINTON NET	434050	

TENNIS	MODEL #	QUANTITY
TENNIS SYSTEM	438370	
WINCH END UPRIGHT	438371	
OFFICIAL 42' TENNIS NET	434039	
36' TENNIS NET FOR VB	434040	






DEALER NAME: _____

PROJECT NAME: _____

SHIP TO ZIP CODE: _____

SPALDING

MATS AND PADS



PAD	SIZE	QUANTITY
WAINSCOTING - STD		
CORNER PAD	X: Y:	
COLUMN PAD	X: Y:	
VELCRO IBEAM PAD	X: Y:	
VELCRO STAGE PAD	X: Y:	
SPECIAL/S		

TYPE OF FOAM

2" LAMINATE	
2" POLYURETHANE	
3.0 LB. BONDED	
6.0 LB. REBOND	
CLASS A POLYCHLOROPRENE	
ADD VONAR TO EXPOSED SIDES	

ATTACHMENT

LIP		VELCRO	
Z-CLIP (NO LIP)		OTHER	

OTHER OPTIONS

VINYL WEIGHT (14 OZ)		ALUMINUM FINISHING STRIP - FT.	
VELSTICK - LINEAR FT.		OTHER	



DEALER NAME: _____

PROJECT NAME: _____

SHIP TO ZIP CODE: _____

SPALDING

NOTES



A COMPLETED TAKE-OFF FORM SHOULD ACCOMPANY ALL QUOTE REQUESTS TO ENSURE THAT WE PRODUCE ACCURATE PRICE-COMPETITIVE QUOTATIONS. FAILURE TO SUBMIT MAY LEAD TO A PRICE INCREASE AS NEW INFORMATION BECOMES AVAILABLE. ADDITIONAL ITEMS MAY BE SUBMITTED WITH THE TAKE-OFF IF NECESSARY.

QUOTATIONS ARE BASED UPON INFORMATION SUPPLIED BY YOU. ANY IMPORTANT DETAILS NOT REQUESTED ON THIS QUOTATION IS YOUR RESPONSIBILITY, YOU MAY USE THE SPACE PROVIDED ABOVE TO NOTE THESE ITEMS (UNIQUE BEAM STRUCTURE, OBSTRUCTIONS, BOTTOM CHORD OF BEAM NOT ATTACHING TO WALL, CRADLES REQUIRED, ETC.)